

Annex 6 BIODIVERSITY – 1

Data on the presence, location, population and ecology of Species and/or habitats of Community interest mentioned in the standard form for natural areas

Table 1 Habitats ROSCI0022 Canaralele Dunării

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID	AIBIC		
						Representativity	Relative surface	Conservation	Global
3130			0	0.00	G	B	C	B	B
3140			0	0.00	G	B	C	B	B
3150			266.25	0.00	G	B	C	B	B
3270			153	0.00	G	B	B	B	B
40C0			515.25	0.00	G	B	B	B	B
62C0			260	0.00	G	B	B	B	B
6430			0	0.00	G	B	C	B	B
6440			1183.5	0.00	G	B	C	B	B
6510			89.5	0.00	G	B	C	B	B
91AA			8.75	0.00	G	B	B	B	B
91F0			157.75	0.00	G	B	B	B	B
91I0			522.5	0.00	G	C	C	B	C
91M0			8.75	0.00	G	B	C	B	C
92A0			5318.5	0.00	G	B	B	A	A
92D0			0	0.00	G	C	C	B	C

Table 2 Species ROSCI0022 Canaralele Dunării

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
F	4125	<i>Alosa immaculata</i>			p				P		C	B	B	B
F	4125	<i>Alosa immaculata</i>			r				R		C	B	B	B
F	4127	<i>Alosa tanaica</i>			p	5000	10000	i	P	G	C	B	B	B
I	4056	<i>Anisus vorticulus</i>			p				R		D			
F	1130	<i>Aspius aspius</i>			p	100000	500000	i	P	G	B	B	C	B
A	1188	<i>Bombina bombina</i>			p				P		B	B	C	B
P	2236	<i>Campanula romanica</i>			p				R		B	A	A	B
F	6963	<i>Cobitis taenia</i> Complex			p	100000	500000	i	P	G	C	B	C	B
R	1220	<i>Emys orbicularis</i>			p				P		C	B	C	B
F	2484	<i>Eudontomyzon mariae</i>			p	0	1000	i	V	DD	C	C	C	C
F	2555	<i>Gymnocephalus baloni</i>			p	500000	900000	i	P	G	B	B	B	B
F	1157	<i>Gymnocephalus schraetzer</i>			p	100000	500000	i	P	G	B	B	B	B
M	1355	<i>Lutra lutra</i>			p	40	50	i	P	G	C	B	C	B
M	2609	<i>Mesocricetus newtoni</i>			p					G	C	C	C	B
F	1145	<i>Misgurnus fossilis</i>			p	10000	50000	i	P	G	B	B	C	B
P	2079	<i>Moehringia jankae</i>			p				V		B	B	A	B
F	2522	<i>Pelecus cultratus</i>			p	10000	50000	i	P	G	B	B	C	B
F	5339	<i>Rhodeus amarus</i>			p	50000	100000	i	P	G	B	A	C	A
F	6143	<i>Romanogobio kesslerii</i>			p	5000	10000	i	P	G	C	B	C	B
F	5329	<i>Romanogobio vladykovi</i>			p	100000	200000	i	P	G	C	B	C	B
F	5347	<i>Sabanejewia bulgarica</i>			p	50000	100000	i	P	G	C	C	C	C
M	1335	<i>Spermophilus citellus</i>			p					G	C	C	B	B
R	1219	<i>Testudo graeca</i>			p				P		C	B	C	B
A	1993	<i>Triturus dobrogicus</i>			p				P		C	B	C	B
F	1160	<i>Zingel streber</i>			p	5000	10000	i	P	G	B	B	C	B
F	1159	<i>Zingel zingel</i>			p	5000	10000	i	P	G	B	B	C	B

Table 3 ROSCI0053 Dealul Alah Bair

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID		AIBIC	
						Representativity	Relative surface	Conservation	Global
62C0			15.5	0.00	G	A	C	A	A

Table 4 ROSCI0053 Dealul Alah Bair

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
P	2236	<i>Campanula romanica</i>			p				R		C	A	A	B
P	2125	<i>Potentilla emilii-popii</i>			p				R		C	A	A	A
P	2093	<i>Pulsatilla grandis</i>			p				R		C	B	C	B

Table 5 ROSCI0071 Dumbrăveni Valea Urluia Lacul Vederoasa

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID		AIBIC	
						Representativity	Relative surface	Conservation	Global
3150			901		Bună	C	C	B	B
40C0	X		540		Bună	A	B	B	B
62C0	X		5407		Bună	B	B	B	B
6430			180		Bună	B	C	B	B
91AA			4596		Bună	A	A	B	A
91F0			18		Bună	B	C	B	B
91I0	X		360		Bună	B	B	B	B
91M0			883		Bună	B	C	B	B

Table 6 ROSCI0071 Dumbrăveni Valea Urluia Lacul Vederoasa

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
M	1355	<i>Lutra lutra</i>			P				R		C	B	C	B
M	2609	<i>Mesocricetus newtoni</i>			P				P?	DD	D			
M	1310	<i>Miniopterus schreibersii</i>			P				P		C	B	C	B
M	1310	<i>Miniopterus schreibersii</i>			R				R		C	B	C	B
M	1302	<i>Rhinolophus mehelyi</i>			P				V		A	B	B	B
M	1335	<i>Spermophilus citellus</i>			P				C		B	A	C	A
M	2635	<i>Vormela peregusna</i>			P				P		C	B	B	A
A	1188	<i>Bombina bombina</i>			P				C		C	A	C	A
A	1993	<i>Triturus dobrogicus</i>			P				R		C	B	B	B
F	1130	<i>Aspius aspius (Aun)</i>			P				C		C	B	C	B
F	6963	<i>Cobitis taenia Complex</i>			P				P	DD	C	A	C	A
F	1145	<i>Misgurnus fossilis</i>			P				C		C	B	C	B
F	2522	<i>Pelecus cultratus</i>			P				R	DD	D			
F	5339	<i>Rhodeus amarus</i>			P				C	DD	C	A	C	A
F	5329	<i>Romanogobio vladykovi</i>			P				R	DD	D			
I	4028	<i>Catopta thrips</i>			P				P		A	B	C	B
I	1074	<i>Eriogaster catax</i>			P				R		B	B	C	B
I	1083	<i>Lucanus cervus</i>			P				R		C	B	C	B
I	1060	<i>Lycaena dispar</i>			P				C		B	B	C	B
P	2253	<i>Centaurea jankae</i>			P				R		B	B	A	B
P	6927	<i>Himantoglossum jankae</i>			P				R	DD	B	B	C	B
P	6948	<i>Pontechium maculatum subsp. maculatum</i>			P						C	B	C	B
P	2125	<i>Potentilla emilii-popii</i>			P				R		B	B	A	B
R	5194	<i>Elaphe sauromates</i>			P				V	DD	B	A	A	A
R	1220	<i>Emys orbicularis</i>			P				C		C	A	C	A
R	1219	<i>Testudo graeca</i>			P				C		A	A	B	A
R	1217	<i>Testudo hermanni</i>			P				V		C	A	B	A

Table 7 ROSCI0172 Pădurea și Valea Canaraua Fetii Iortmac

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID	AIBIC		
						Representativity	Relative surface	Conservation	Global
3260			0	0.00	G	B	C	B	B
40C0			0	0.00	G	A	B	B	B
62C0			0	0.00	G	B	C	B	B
6430			0	0.00	G	B	C	B	B
91AA			0	0.00	G	B	C	B	B
91I0			0	0.00	G	A	B	B	B
91M0			0	0.00	G	A	B	B	B

Table 8 ROSCI0172 Pădurea și Valea Canaraua Fetii Iortmac

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
F	1130	<i>Aspius aspius</i>			p				P		C	B	C	B
A	1188	<i>Bombina bombina</i>			p				P		C	B	C	B
I	1088	<i>Cerambyx cerdo</i>			p				P		B	B	C	B
R	5194	<i>Elaphe sauromates</i>			p				V	DD	C	B	B	B
R	1220	<i>Emys orbicularis</i>			p				R		C	B	C	B
I	1074	<i>Eriogaster catax</i>			p				C		B	B	C	B
I	6169	<i>Euphydrias maturna</i>			p				P	DD	B	B	C	B
I	6199	<i>Euplagia quadripunctaria</i>			p				R	DD	C	B	C	B
P	6927	<i>Himantoglossum jankae</i>			p	29		i	P	M	C	C	A	C
I	1083	<i>Lucanus cervus</i>			p				C		B	B	C	B
M	1355	<i>Lutra lutra</i>			p				P		C	B	C	B
I	1060	<i>Lycaena dispar</i>			p				C		C	B	C	B
P	1428	<i>Marsilea quadrifolia</i>			p	1000		i	P		C	B	A	C
M	1310	<i>Miniopterus schreibersii</i>			p				P		C	B	C	B
M	1310	<i>Miniopterus schreibersii</i>			r				P		C	B	C	B
F	1145	<i>Misgurnus fossilis</i>			p				P		C	B	C	B
M	1321	<i>Myotis emarginatus</i>			p				P		C	B	C	B

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
I	4053	<i>Paracaloptenus caloptenoides</i>			p				R		B	B	B	B
F	2522	<i>Pelecus cultratus</i>			p				P	DD	D			
P	6948	<i>Pontechium maculatum subsp. maculatum</i>			p						C	B	C	B
P	2125	<i>Potentilla emilii-popii</i>			p				R		B	B	A	B
I	4043	<i>Pseudophilotes bavius</i>			p				R		B	C	C	B
M	1304	<i>Rhinolophus ferrumequinum</i>			p				P		C	B	C	B
M	1303	<i>Rhinolophus hipposideros</i>			p				P		C	B	B	B
M	1302	<i>Rhinolophus mehelyi</i>			p				V		C	B	B	B
F	5339	<i>Rhodeus amarus</i>			p				V	DD	D			
F	5329	<i>Romanogobio vladykovi</i>			p				P	DD	C	B	C	B
M	1335	<i>Spermophilus citellus</i>			p				P		C	B	C	B
R	1219	<i>Testudo graeca</i>			p				C		B	A	B	A
R	1217	<i>Testudo hermanni</i>			p				V		C	B	B	B
M	2635	<i>Vormela peregusna</i>			p				P		C	B	B	B

Table 9 ROSCI0278 Bordusani Borcea

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID	AIBIC		
						Representativity	Relative surface	Conservation	Global
3160			29	0.00	G	C	C	C	C
3270			0	0.00	G	C	C	C	C
62C0			0	0.00	G	C	C	C	C
92A0			0	0.00	G	B	C	B	B

Table 10 ROSCI0278 Bordusani Borcea

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
A	1188	<i>Bombina bombina</i>			p				P		C	B	C	B
R	1220	<i>Emys orbicularis</i>			p				P		C	B	C	B

Table 11 ROSCI0319 Mlaştina de la Fetesti

Types of Habitats						Site assessment			
Code	PF	NP	Cover (ha)	Caves (no.)	Data quality	AIBICID	AIBIC		
						Representativity	Relative surface	Conservation	Global
92A0			52			A	C	C	C

Table 12 ROSCI0319 Mlaştina de la Fetesti

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
M	1355	<i>Lutra lutra</i>			P				P		C	C	C	B
A	1188	<i>Bombina bombina</i>			P				P		C	C	C	B
A	1993	<i>Triturus dobrogicus</i>			P				P		C	C	C	B
R	1220	<i>Emys orbicularis</i>			P				P		C	C	C	B

Table 13 ROSCI0353 Pesteră Deleni

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
M	2609	<i>Mesocricetus newtoni</i>			p				P		C	B	B	B
M	1335	<i>Spermophilus citellus</i>			p				P		C	B	B	B

Table 14 ROSCI0412 Ivrinezu

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max.				Pop.	Con.	Iso.	Global
M	2609	<i>Mesocricetus newtoni</i> (Hamsterul-românesc)			P					M	C	B	C	B
M	1335	<i>Spermophilus citellus</i> (Popândău)			P					M	C	B	C	B
R	5194	<i>Elaphe sauromates</i>			P				V	DD	C	B	C	B
R	1219	<i>Testudo graeca</i>			P					M	C	B	C	B

Table 15 ROSPA0001 Aliman Adamclisi

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A402	<i>Accipiter brevipes</i>			c	30		i	R		B	B	C	B
B	A402	<i>Accipiter brevipes</i>			r	15	18	p	R		B	B	C	B
B	A247	<i>Alauda arvensis</i>			p				P		D			
B	A255	<i>Anthus campestris</i>			r	3600	4000	p	R		C	A	C	B
B	A404	<i>Aquila heliaca</i>			r	1	2	i	C		A	B	C	B
B	A089	<i>Aquila pomarina</i>			c	150	200	i	C		C	C	C	C
B	A089	<i>Aquila pomarina</i>			r	1	2	p	C		C	C	C	C
B	A221	<i>Asio otus</i>			r				C		D			
B	A215	<i>Bubo bubo</i>			r	1	2	p	C		C	B	C	B
B	A133	<i>Burhinus oediconemus</i>			r	30	32	p	R		B	B	C	B
B	A403	<i>Buteo rufinus</i>			r	12	14	p	C		B	A	C	A
B	A243	<i>Calandrella brachydactyla</i>			r	600	650	p	R		B	A	C	B
B	A224	<i>Caprimulgus europaeus</i>			r	120	130	p	P		C	B	C	B
B	A080	<i>Circaetus gallicus</i>			r	9	10	p	P		B	A	B	A
B	A081	<i>Circus aeruginosus</i>			r	2	4	i	C		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A082	<i>Circus cyaneus</i>			c	80	100	i	R		C	B	C	B
B	A082	<i>Circus cyaneus</i>			w	20	50	i	R		C	B	C	B
B	A083	<i>Circus macrourus</i>			c	60	80	i	P		B	B	C	B
B	A084	<i>Circus pygargus</i>			c	120	130	i	R		B	A	B	A
B	A084	<i>Circus pygargus</i>			r	1	3	p	R		B	A	B	A
B	A373	<i>Coccothraustes coccothraustes</i>			r				C		D			
B	A207	<i>Columba oenas</i>			r				C		D			
B	A208	<i>Columba palumbus</i>			r				P		D			
B	A231	<i>Coracias garrulus</i>			r	100	120	p	P		B	A	C	B
B	A113	<i>Coturnix coturnix</i>			r	600		p	C		C	B	C	B
B	A212	<i>Cuculus canorus</i>			r				C		D			
B	A238	<i>Dendrocopos medius</i>			r	20	22	p	P		D			
B	A429	<i>Dendrocopos syriacus</i>			r	30	40	p	C		C	B	C	C
B	A379	<i>Emberiza hortulana</i>			r	200	300	p	C		C	B	C	B
B	A511	<i>Falco cherrug</i>			r	1		p	P		B	A	C	B
B	A103	<i>Falco peregrinus</i>			c	4		i	P		D			
B	A096	<i>Falco tinnunculus</i>			p	70		p	R		D			
B	A097	<i>Falco vespertinus</i>			c	200	400	i	R		B	B	C	B
B	A097	<i>Falco vespertinus</i>			r	36	41	p	R		B	B	C	B
B	A321	<i>Ficedula albicollis</i>			c	200	300	i	P		D			
B	A320	<i>Ficedula parva</i>			c	800	1000	i	P		D			
B	A244	<i>Galerida cristata</i>			r	300	320	p	P		C	A	C	B
B	A092	<i>Hieraaetus pennatus</i>			c	15	20	i	P		C	B	C	A
B	A092	<i>Hieraaetus pennatus</i>			r	3	4	p	P		C	B	C	A
B	A299	<i>Hippolais icterina</i>			r				R		D			
B	A251	<i>Hirundo rustica</i>			r				C		D			
B	A338	<i>Lanius collurio</i>			r	700	1000	p	P		D			
B	A339	<i>Lanius minor</i>			r	210	220	p	P		C	B	C	A
B	A341	<i>Lanius senator</i>			r				R		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A246	<i>Lullula arborea</i>			r	800	1000	p	P		C	A	C	B
B	A271	<i>Luscinia megarhynchos</i>			r				C		D			
B	A242	<i>Melanocorypha calandra</i>			r	2200	2500	p	R		B	B	C	B
B	A230	<i>Merops apiaster</i>			r				C		D			
B	A383	<i>Miliaria calandra</i>			r				P		D			
B	A073	<i>Milvus migrans</i>			c	5	8	i	C		C	B	C	C
B	A073	<i>Milvus migrans</i>			r	1	2	i	C		C	B	C	C
B	A262	<i>Motacilla alba</i>			r				C		D			
B	A260	<i>Motacilla flava</i>			r				P		D			
B	A435	<i>Oenanthe isabellina</i>			r				R		D			
B	A277	<i>Oenanthe oenanthe</i>			r				C		D			
B	A533	<i>Oenanthe pleschanka</i>			r	24	26	p	R		B	A	B	B
B	A337	<i>Oriolus oriolus</i>			r				P		D			
B	A214	<i>Otus scops</i>			r				C		D			
B	A072	<i>Pernis apivorus</i>			r	6	7	p	P		C	B	C	C
B	A273	<i>Phoenicurus ochruros</i>			r				R		D			
B	A234	<i>Picus canus</i>			r	20	25	p	P		D			
B	A249	<i>Riparia riparia</i>			r				C		D			
B	A276	<i>Saxicola torquata</i>			r				C		D			
B	A210	<i>Streptopelia turtur</i>			r				C		D			
B	A311	<i>Sylvia atricapilla</i>			r				C		D			
B	A310	<i>Sylvia borin</i>			r				C		D			
B	A309	<i>Sylvia communis</i>			r				C		D			
B	A307	<i>Sylvia nisoria</i>			r	200	300	p	C		C	A	C	B
B	A232	<i>Upupa epops</i>			r				C		D			

Table 16 ROSPA0002 Allah Bair Capidava

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A402	<i>Accipiter brevipes</i>			c	30		i	C		C	B	C	B
B	A402	<i>Accipiter brevipes</i>			r	3	5	p	C		C	B	C	B
B	A086	<i>Accipiter nisus</i>			c	860	1370	i	C		D			
B	A247	<i>Alauda arvensis</i>			r				C		D			
B	A229	<i>Alcedo atthis</i>			r	70	80	p	C		C	C	C	C
B	A041	<i>Anser albifrons</i>			w	300	400	i	C		C	B	C	C
B	A255	<i>Anthus campestris</i>			r	800	1200	p			C	B	C	B
B	A256	<i>Anthus trivialis</i>			c				C		D			
B	A089	<i>Aquila pomarina</i>			c	2500	5000	i	R		C	B	C	B
B	A221	<i>Asio otus</i>			r				C		D			
B	A021	<i>Botaurus stellaris</i>			w	2	5	i	C		D			
B	A215	<i>Bubo bubo</i>			p	1	1	p	C		C	B	C	B
B	A133	<i>Burhinus oedicnemus</i>			r	20	30	p	R		B	B	C	B
B	A087	<i>Buteo buteo</i>			c	5000	10000	i	C		C	B	C	B
B	A403	<i>Buteo rufinus</i>			r	2	3	p	C		C	A	C	B
B	A243	<i>Calandrella brachydactyla</i>			r	100	120	p	C		C	A	C	B
B	A224	<i>Caprimulgus europaeus</i>			r	110	120	p	C		C	C	C	B
B	A366	<i>Carduelis cannabina</i>			c				C		D			
B	A366	<i>Carduelis cannabina</i>			r				R		D			
B	A364	<i>Carduelis carduelis</i>			c				C		D			
B	A364	<i>Carduelis carduelis</i>			r				C		D			
B	A363	<i>Carduelis chloris</i>			c				C		D			
B	A363	<i>Carduelis chloris</i>			r				C		D			
B	A365	<i>Carduelis spinus</i>			c				C		D			
B	A196	<i>Chlidonias hybridus</i>			c	2000	3000	i	C		C	B	C	B
B	A197	<i>Chlidonias niger</i>			c	400	600	i	P		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			c	18000	50000	i	C		B	B	C	B

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A030	<i>Ciconia nigra</i>			c	1500	3000	i	C		B	B	C	B
B	A080	<i>Circaetus gallicus</i>			c	80	130	i	R		B	B	B	A
B	A080	<i>Circaetus gallicus</i>			r	1	3	p	R		B	B	B	A
B	A081	<i>Circus aeruginosus</i>			c	680	1780	i	R		D			
B	A082	<i>Circus cyaneus</i>			c	40	82	i	P		C	B	C	B
B	A082	<i>Circus cyaneus</i>			w	10	15	i	P		C	B	C	B
B	A083	<i>Circus macrourus</i>			c	15	20	i	C		C	B	C	A
B	A084	<i>Circus pygargus</i>			c	140	220	i	R		C	A	B	A
B	A207	<i>Columba oenas</i>			r				C		D			
B	A208	<i>Columba palumbus</i>			c				C		D			
B	A231	<i>Coracias garrulus</i>			r	90	100	p	C		C	A	C	B
B	A113	<i>Coturnix coturnix</i>			r	600		p	C		C	B	C	B
B	A212	<i>Cuculus canorus</i>			r				C		D			
B	A253	<i>Delichon urbica</i>			r				C		D			
B	A238	<i>Dendrocopos medius</i>			r	15	18	p	C		D			
B	A429	<i>Dendrocopos syriacus</i>			r	15	20	p	C		D			
B	A236	<i>Dryocopus martius</i>			r	15	20	p	C		D			
B	A379	<i>Emberiza hortulana</i>			r	150	200	p	C		C	B	C	B
B	A511	<i>Falco cherrug</i>			r	1	2	p	P	M	C	C	A	C
B	A097	<i>Falco vespertinus</i>			r	14	22	p	C		C	B	C	B
B	A321	<i>Ficedula albicollis</i>			c				C		D			
B	A320	<i>Ficedula parva</i>			c				C		D			
B	A244	<i>Galerida cristata</i>			r	120	140	p	C		C	A	C	B
B	A075	<i>Haliaeetus albicilla</i>			c	4	6	i	P		C	A	B	B
B	A075	<i>Haliaeetus albicilla</i>			r				P		C	A	B	B
B	A075	<i>Haliaeetus albicilla</i>			w	4	8	i	P		C	A	B	B
B	A092	<i>Hieraaetus pennatus</i>			c	40	90	i	C		C	B	C	A
B	A251	<i>Hirundo rustica</i>			r				C		D			
B	A338	<i>Lanius collurio</i>			r	1200	1300	p	R		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A340	<i>Lanius excubitor</i>			w				R		D			
B	A339	<i>Lanius minor</i>			r	120	130	p	R		C	B	C	A
B	A459	<i>Larus cachinnans</i>			c	3000	5000	i	C		D			
B	A177	<i>Larus minutus</i>			c	400	600	i	C		C	B	C	B
B	A179	<i>Larus ridibundus</i>			c	5000	10000	i	C		C	A	C	A
B	A246	<i>Lullula arborea</i>			r	120	150	p	C		C	B	C	C
B	A242	<i>Melanocorypha calandra</i>			r	500	700	p	R		C	A	C	B
B	A242	<i>Melanocorypha calandra</i>			w	200	400	i	R		C	A	C	B
B	A230	<i>Merops apiaster</i>			r				C		D			
B	A383	<i>Miliaria calandra</i>			r				C		D			
B	A073	<i>Milvus migrans</i>			r		1	p	C		C	B	C	C
B	A262	<i>Motacilla alba</i>			r				C		D			
B	A533	<i>Oenanthe pleschanka</i>			r	12	15	p	C		C	A	C	B
B	A019	<i>Pelecanus onocrotalus</i>			c	300	600	i	C		C	B	B	B
B	A072	<i>Pernis apivorus</i>			c	340	775	i	C		D			
B	A393	<i>Phalacrocorax pygmeus</i>			w	420	500	i	R		C	B	C	B
B	A234	<i>Picus canus</i>			r	20	30	p	R		D			
B	A249	<i>Riparia riparia</i>			r	300	500	p	C		C	B	C	B
B	A275	<i>Saxicola rubetra</i>			c				C		D			
B	A276	<i>Saxicola torquata</i>			r				C		D			
B	A193	<i>Sterna hirundo</i>			c	2000	3000	i	P		C	B	C	B
B	A193	<i>Sterna hirundo</i>			r				P		C	B	C	B
B	A210	<i>Streptopelia turtur</i>			r				C		D			
B	A351	<i>Sturnus vulgaris</i>			c				C		D			
B	A351	<i>Sturnus vulgaris</i>			r				C		D			
B	A311	<i>Sylvia atricapilla</i>			r				C		D			
B	A310	<i>Sylvia borin</i>			r				C		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A309	<i>Sylvia communis</i>			r				C		D			
B	A307	<i>Sylvia nisoria</i>			r	40	60	p			C	B	C	C
B	A397	<i>Tadorna ferruginea</i>			r	6	8	p			B	B	C	B
B	A286	<i>Turdus iliacus</i>			c				R		D			
B	A283	<i>Turdus merula</i>			c				C		D			
B	A285	<i>Turdus philomelos</i>			c				C		D			
B	A284	<i>Turdus pilaris</i>			c				C		D			
B	A287	<i>Turdus viscivorus</i>			c				R		D			
B	A232	<i>Upupa epops</i>			r				C		D			

Table 17 ROSPA0007 Balta Vederoasa

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A298	<i>Acrocephalus arundinaceus</i>			r				C		D			
B	A293	<i>Acrocephalus melanopogon</i>			c				R		D			
B	A296	<i>Acrocephalus palustris</i>			r				C		D			
B	A295	<i>Acrocephalus schoenobaenus</i>			r				C		D			
B	A297	<i>Acrocephalus scirpaceus</i>			r				C		D			
B	A168	<i>Actitis hypoleucos</i>			c				C		D			
B	A247	<i>Alauda arvensis</i>			c				C		D			
B	A229	<i>Alcedo atthis</i>			r	20	22	p	R		D			
B	A054	<i>Anas acuta</i>			c	120	150	i	C		D			
B	A056	<i>Anas clypeata</i>			c	200	300	i	C		C	C	C	C
B	A052	<i>Anas crecca</i>			c	200	400	i	C		C	B	C	B
B	A050	<i>Anas penelope</i>			c	120	500	i	C		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A053	<i>Anas platyrhynchos</i>			c	1200	1400	i	C		C	B	C	B
B	A053	<i>Anas platyrhynchos</i>			r	120		i	C		C	B	C	B
B	A053	<i>Anas platyrhynchos</i>			w	4400	9000	i	C		C	B	C	B
B	A055	<i>Anas querquedula</i>			c	200	300	i	C		C	B	C	B
B	A055	<i>Anas querquedula</i>			r	20		p	C		C	B	C	B
B	A051	<i>Anas strepera</i>			c	360	430	i	C		D			
B	A041	<i>Anser albifrons</i>			w	1200	1400	i	C		C	B	C	B
B	A043	<i>Anser anser</i>			c	240	600	i	P		D			
B	A043	<i>Anser anser</i>			r	20	22	p	P		D			
B	A028	<i>Ardea cinerea</i>			c	250		i	P		D			
B	A028	<i>Ardea cinerea</i>			r	80	90	p	P		D			
B	A029	<i>Ardea purpurea</i>			r	25	30	p	R		B	A	C	B
B	A024	<i>Ardeola ralloides</i>			r	230	270	p	R		B	B	C	B
B	A221	<i>Asio otus</i>			r				R		D			
B	A059	<i>Aythya ferina</i>			c	200	300	i	P		C	B	C	B
B	A059	<i>Aythya ferina</i>			r	20	40	p	P		C	B	C	B
B	A061	<i>Aythya fuligula</i>			c				P		D			
B	A060	<i>Aythya nyroca</i>			c	120	200	i	R		C	B	C	C
B	A060	<i>Aythya nyroca</i>			r	23	45	p	R		C	B	C	C
B	A149	<i>Calidris alpina</i>			c				C		D			
B	A147	<i>Calidris ferruginea</i>			c				C		D			
B	A145	<i>Calidris minuta</i>			c				C		D			
B	A366	<i>Carduelis cannabina</i>			c				C		D			
B	A364	<i>Carduelis carduelis</i>			c				C		D			
B	A363	<i>Carduelis chloris</i>			c				C		D			
B	A288	<i>Cettia cetti</i>			r				R		A	B	C	B
B	A138	<i>Charadrius alexandrinus</i>			c				R		D			
B	A136	<i>Charadrius dubius</i>			c				R		D			
B	A137	<i>Charadrius hiaticula</i>			c				R		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A196	<i>Chlidonias hybridus</i>			c	200	300	i	R		D			
B	A198	<i>Chlidonias leucopterus</i>			c				R		D			
B	A197	<i>Chlidonias niger</i>			c				C		D			
B	A031	<i>Ciconia ciconia</i>			c	200	500	i	C		C	B	C	C
B	A031	<i>Ciconia ciconia</i>			r	6		p	C		C	B	C	C
B	A030	<i>Ciconia nigra</i>			c	8	10	i	C		C	B	C	C
B	A080	<i>Circaetus gallicus</i>			c				R		D			
B	A081	<i>Circus aeruginosus</i>			r	2	8	p	R		C	B	C	C
B	A212	<i>Cuculus canorus</i>			r				C		D			
B	A036	<i>Cygnus olor</i>			c	200		i	C		D			
B	A036	<i>Cygnus olor</i>			r	2		p	C		D			
B	A253	<i>Delichon urbica</i>			c				C		D			
B	A027	<i>Egretta alba</i>			r	34	39	p	R		B	B	C	B
B	A026	<i>Egretta garzetta</i>			r	300	320	p	R		B	A	C	B
B	A269	<i>Erithacus rubecula</i>			c				C		D			
B	A359	<i>Fringilla coelebs</i>			c				C		D			
B	A153	<i>Gallinago gallinago</i>			c				C		D			
B	A135	<i>Glareola pratincola</i>			c				R		D			
B	A075	<i>Haliaeetus albicilla</i>			c	4	6	i	R		C	A	C	B
B	A075	<i>Haliaeetus albicilla</i>			r	1		p	R		C	A	C	B
B	A131	<i>Himantopus himantopus</i>			c	40	50	i	R		C	B	C	B
B	A131	<i>Himantopus himantopus</i>			r	2	7	p	R		C	B	C	B
B	A022	<i>Ixobrychus minutus</i>			r	80	90	p	R		C	A	C	B
B	A459	<i>Larus cachinnans</i>			c				C		D			
B	A182	<i>Larus canus</i>			c				C		C			
B	A183	<i>Larus fuscus</i>			c				R		D			
B	A176	<i>Larus melanocephalus</i>			c				R		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A177	<i>Larus minutus</i>			c	120	230	i	R		C	B	C	B
B	A179	<i>Larus ridibundus</i>			c				C		D			
B	A156	<i>Limosa limosa</i>			c				C		D			
B	A292	<i>Locustella luscinioides</i>			r				C		D			
B	A271	<i>Luscinia megarhynchos</i>			c				C		D			
B	A383	<i>Miliaria calandra</i>			c				C		D			
B	A262	<i>Motacilla alba</i>			r				C		D			
B	A260	<i>Motacilla flava</i>			c				C		D			
B	A260	<i>Motacilla flava</i>			r				C		D			
B	A319	<i>Muscicapa striata</i>			c				C		D			
B	A160	<i>Numenius arquata</i>			c				C		D			
B	A023	<i>Nycticorax nycticorax</i>			r	430	440	p	R		B	B	C	B
B	A337	<i>Oriolus oriolus</i>			c				C		D			
B	A094	<i>Pandion haliaetus</i>			c				R		D			
B	A020	<i>Pelecanus crispus</i>			c	5	6	i	R		C	A	C	B
B	A017	<i>Phalacrocorax carbo</i>			c				C		D			
B	A017	<i>Phalacrocorax carbo</i>			r	120	150	p	C		D			
B	A393	<i>Phalacrocorax pygmeus</i>			c	500	600	i	R		C	A	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			r	40	60	p	R		C	A	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			w	120	140	i	R		C	A	C	B
B	A170	<i>Phalaropus lobatus</i>			c				R		D			
B	A273	<i>Phoenicurus ochruros</i>			c				C		D			
B	A034	<i>Platalea leucorodia</i>			c	310	360	i	C		B	A	C	B
B	A034	<i>Platalea leucorodia</i>			r	40	50	p	C		B	A	C	B
B	A032	<i>Plegadis falcinellus</i>			c	270	340	i	P		C	A	C	B
B	A032	<i>Plegadis falcinellus</i>			r	22	30	p	P		C	A	C	B

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A005	<i>Podiceps cristatus</i>			r	10	20	p	C		D			
B	A006	<i>Podiceps grisegena</i>			c				R		D			
B	A006	<i>Podiceps grisegena</i>			r	1	2	p	C		D			
B	A008	<i>Podiceps nigricollis</i>			r	4	5	p	R		D			
B	A120	<i>Porzana parva</i>			r				C		D			
B	A132	<i>Recurvirostra avosetta</i>			c	20	30	i	P		C	B	C	B
B	A132	<i>Recurvirostra avosetta</i>			r	3	5	p	P		C	B	C	B
B	A336	<i>Remiz pendulinus</i>			r				C		D			
B	A249	<i>Riparia riparia</i>			c				C		D			
B	A249	<i>Riparia riparia</i>			r				C		D			
B	A275	<i>Saxicola rubetra</i>			c				C		D			
B	A276	<i>Saxicola torquata</i>			c				C		D			
B	A195	<i>Sterna albifrons</i>			c				R		D			
B	A193	<i>Sterna hirundo</i>			c	1000	1200	i	P		C	B	C	B
B	A351	<i>Sturnus vulgaris</i>			c				C		D			
B	A307	<i>Sylvia nisia</i>			c				R		D			
B	A004	<i>Tachybaptus ruficollis</i>			r	10	20	p	C		C	B	C	C
B	A397	<i>Tadorna ferruginea</i>			c	10	20	i	V		C	B	C	B
B	A397	<i>Tadorna ferruginea</i>			r	2	4	p	V		C	B	C	B
B	A048	<i>Tadorna tadorna</i>			r	5	6	p	C		C	B	C	B
B	A161	<i>Tringa erythropus</i>			c				C		D			
B	A166	<i>Tringa glareola</i>			c				C		D			
B	A164	<i>Tringa nebularia</i>			c				R		D			
B	A165	<i>Tringa ochropus</i>			c				C		D			
B	A163	<i>Tringa stagnatilis</i>			c				R		D			
B	A162	<i>Tringa totanus</i>			c				C		D			
B	A283	<i>Turdus merula</i>			c				C		D			
B	A285	<i>Turdus philomelos</i>			c				C		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A232	<i>Upupa epops</i>			c				C		D			
B	A142	<i>Vanellus vanellus</i>			c				C		C	B	C	B
B	A142	<i>Vanellus vanellus</i>			r	40	50	p	C		C	B	C	B

Table 18 ROSPA0012 Bratul Borcea

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A402	<i>Accipiter brevipes</i>			r	2	2	p	P		C	B	C	B
B	A298	<i>Acrocephalus arundinaceus</i>			r				C		D			
B	A293	<i>Acrocephalus melanopogon</i>			r				R		D			
B	A295	<i>Acrocephalus schoenobaenus</i>			r				C		D			
B	A297	<i>Acrocephalus scirpaceus</i>			r				C		D			
B	A247	<i>Alauda arvensis</i>			r				P		D			
B	A229	<i>Alcedo atthis</i>			r	80	100	p	R		C	C	C	B
B	A053	<i>Anas platyrhynchos</i>			r				P		D			
B	A055	<i>Anas querquedula</i>			r				R		D			
B	A041	<i>Anser albifrons</i>			w	13	30	i	R		C	B	C	B
B	A028	<i>Ardea cinerea</i>			r	50	50	p	C		D			
B	A024	<i>Ardeola ralloides</i>			r	90	100	p	R		C	B	C	B
B	A221	<i>Asio otus</i>			r				C		D			
B	A059	<i>Aythya ferina</i>			r				C		D			
B	A060	<i>Aythya nyroca</i>			c	300	400	i	R		C	B	C	B
B	A060	<i>Aythya nyroca</i>			r	100	120	p	R		C	B	C	B
B	A396	<i>Branta ruficollis</i>			w	4500	7000	i	P		A	B	C	B
B	A364	<i>Carduelis carduelis</i>			c				P		D			
B	A364	<i>Carduelis carduelis</i>			p				C		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A363	<i>Carduelis chloris</i>			c				P		D			
B	A363	<i>Carduelis chloris</i>			p				C		D			
B	A196	<i>Chlidonias hybridus</i>			c	400	600	i	R		C	B	C	B
B	A196	<i>Chlidonias hybridus</i>			r				R		C	B	C	B
B	A198	<i>Chlidonias leucopterus</i>			c				R		D			
B	A197	<i>Chlidonias niger</i>			c	400	400	i	C		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			c	4000	7000	i	P		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			r	64	77	p	P		C	B	C	B
B	A030	<i>Ciconia nigra</i>			c	200	500	i	P		B	B	C	B
B	A030	<i>Ciconia nigra</i>			r	1	3	p	P		B	B	C	B
B	A081	<i>Circus aeruginosus</i>			r	14	24	p	R		C	B	C	C
B	A373	<i>Coccothraustes coccothraustes</i>			r				C		D			
B	A207	<i>Columba oenas</i>			c				C		D			
B	A208	<i>Columba palumbus</i>			c				P		D			
B	A208	<i>Columba palumbus</i>			r				C		D			
B	A231	<i>Coracias garrulus</i>			r	70	80	p	C		C	A	C	B
B	A231	<i>Coracias garrulus</i>			w				P		C	A	C	B
B	A212	<i>Cuculus canorus</i>			r				C		D			
B	A236	<i>Dryocopus martius</i>			p				R		D			
B	A026	<i>Egretta garzetta</i>			r	320	340	p	R		C	B	C	B
B	A099	<i>Falco subbuteo</i>			r	20	30	p	C		D			
B	A096	<i>Falco tinnunculus</i>			p	20	40	p	C		C	B	C	B
B	A097	<i>Falco vespertinus</i>			r	18	21	p	R		C	B	C	B
B	A359	<i>Fringilla coelebs</i>			c				P		C	B	C	C
B	A359	<i>Fringilla coelebs</i>			p				C		C	B	C	C
B	A075	<i>Haliaeetus albicilla</i>			c	17	17	i	V		C	A	C	B
B	A075	<i>Haliaeetus albicilla</i>			r	1	2	p	V		C	A	C	B

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A131	<i>Himantopus himantopus</i>			c	200	500	i	P		C	B	C	C
B	A131	<i>Himantopus himantopus</i>			r				P		C	B	C	C
B	A299	<i>Hippolais icterina</i>			r				R		D			
B	A251	<i>Hirundo rustica</i>			r				C		D			
B	A022	<i>Ixobrychus minutus</i>			r	40	50	p	C		C	B	C	B
B	A338	<i>Lanius collurio</i>			r				C		D			
B	A339	<i>Lanius minor</i>			r				R		D			
B	A459	<i>Larus cachinnans</i>			c				C		D			
B	A177	<i>Larus minutus</i>			c	400	400	i	V		C	B	C	B
B	A179	<i>Larus ridibundus</i>			c				P		D			
B	A292	<i>Locustella luscinioides</i>			r				C		D			
B	A271	<i>Luscinia megarhynchos</i>			c				C		D			
B	A271	<i>Luscinia megarhynchos</i>			r				C		D			
B	A230	<i>Merops apiaster</i>			r	120	120	p	C		D			
B	A383	<i>Miliaria calandra</i>			c				C		D			
B	A383	<i>Miliaria calandra</i>			p				P		D			
B	A073	<i>Milvus migrans</i>			r	3	4	p	V		C	B	C	A
B	A262	<i>Motacilla alba</i>			r				C		D			
B	A260	<i>Motacilla flava</i>			r				P		D			
B	A319	<i>Muscicapa striata</i>			c				C		D			
B	A319	<i>Muscicapa striata</i>			r				C		D			
B	A023	<i>Nycticorax nycticorax</i>			r	470	520	p	R		B	B	C	B
B	A337	<i>Oriolus oriolus</i>			c				C		D			
B	A337	<i>Oriolus oriolus</i>			r				C		D			
B	A214	<i>Otus scops</i>			r				R		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A019	<i>Pelecanus onocrotalus</i>			c	50	150	i	C		C	B	B	B
B	A017	<i>Phalacrocorax carbo</i>			c	300	300	i	R		C	B	C	B
B	A017	<i>Phalacrocorax carbo</i>			r	80	120	p	R		C	B	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			c	300	300	i	P		C	B	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			r				P		C	B	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			w	240	240	i	P		C	B	C	B
B	A273	<i>Phoenicurus ochruros</i>			c				C		C	B	C	C
B	A234	<i>Picus canus</i>			p				R		D			
B	A034	<i>Platalea leucorodia</i>			r	144	160	p	C		B	B	C	B
B	A032	<i>Plegadis falcinellus</i>			c	230	400	i	R		B	B	C	B
B	A032	<i>Plegadis falcinellus</i>			r	120	130	p	R		B	B	C	B
B	A005	<i>Podiceps cristatus</i>			w	200	200	i	C		D			
B	A120	<i>Porzana parva</i>			r				C		C	B	C	B
B	A132	<i>Recurvirostra avosetta</i>			c	200	500	i	P		C	B	C	B
B	A132	<i>Recurvirostra avosetta</i>			r				P		C	B	C	B
B	A336	<i>Remiz pendulinus</i>			r				C		D			
B	A249	<i>Riparia riparia</i>			r	750	1100	p	C		C	A	C	B
B	A275	<i>Saxicola rubetra</i>			c				C		C	B	C	C
B	A195	<i>Sterna albifrons</i>			c	400	400	i	P		C	B	C	B
B	A193	<i>Sterna hirundo</i>			c	1000	2000	i	C		C	B	C	B
B	A351	<i>Sturnus vulgaris</i>			c				C		D			
B	A351	<i>Sturnus vulgaris</i>			p				C		D			
B	A311	<i>Sylvia atricapilla</i>			r				C		D			
B	A310	<i>Sylvia borin</i>			r				C		D			
B	A309	<i>Sylvia communis</i>			r				C		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A307	<i>Sylvia nisoria</i>			r				R		D			
B	A166	<i>Tringa glareola</i>			c	800	1000	i	P		C	B	C	B
B	A285	<i>Turdus philomelos</i>			c				C		D			
B	A193	<i>Sterna hirundo</i>			c	1000	2000	i	C		C	B	C	B

Table 19 ROSPA0039 Dunăre Ostroave

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A402	<i>Accipiter brevipes</i>			r	2	2	p	C		C	A	C	A
B	A293	<i>Acrocephalus melanopogon</i>			r				R		D			
B	A229	<i>Alcedo atthis</i>			r	50	50	p	R		C	C	C	B
B	A053	<i>Anas platyrhynchos</i>			r	120	120	p	P		D			
B	A028	<i>Ardea cinerea</i>			r	50	50	p	C		D			
B	A029	<i>Ardea purpurea</i>			r	90	120	p	R		B	B	C	B
B	A024	<i>Ardeola ralloides</i>			r	90	90	p	R		C	B	C	B
B	A059	<i>Aythya ferina</i>			r	80	80	p	C		D			
B	A396	<i>Branta ruficollis</i>			w	120	120	i	R		C	B	C	B
B	A224	<i>Caprimulgus europaeus</i>			r	20	20	p	R		C	B	C	C
B	A196	<i>Chlidonias hybridus</i>			c	400	600	i	R		C	B	C	B
B	A196	<i>Chlidonias hybridus</i>			r	60	60	p	R		C	B	C	B
B	A197	<i>Chlidonias niger</i>			c	400	400	i	R		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			c	1200	2400	i	R		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			r	22	34	p	R		C	B	C	B
B	A030	<i>Ciconia nigra</i>			r	4	4	p	R		C	B	C	B
B	A081	<i>Circus aeruginosus</i>			r	14	20	p	R		C	B	C	B
B	A231	<i>Coracias garrulus</i>			r	70	80	p	R		C	A	C	B
B	A236	<i>Dryocopus martius</i>			r	10	10	p	R		D			

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A026	<i>Egretta garzetta</i>			r	320	320	p	R		B	B	C	B
B	A379	<i>Emberiza hortulana</i>			r	60	60	p	R		D			
B	A511	<i>Falco cherrug</i>			c	1	3	i	P	DD	D			
B	A099	<i>Falco subbuteo</i>			r	20	20	p	C		D			
B	A096	<i>Falco tinnunculus</i>			p	50	50	p	C		D			
B	A097	<i>Falco vespertinus</i>			r	18	21	p	R		C	B	C	B
B	A075	<i>Haliaeetus albicilla</i>			c	17	17	i	R		B	A	B	A
B	A075	<i>Haliaeetus albicilla</i>			r	3	4	p	R		B	A	B	A
B	A131	<i>Himantopus himantopus</i>			c	24	24	i	R		D			
B	A022	<i>Ixobrychus minutus</i>			r	40	40	p	R		C	B	C	B
B	A338	<i>Lanius collurio</i>			r	40	40	p	R		D			
B	A339	<i>Lanius minor</i>			r	54	54	p	R		D			
B	A177	<i>Larus minutus</i>			c	400	400	i	R		C	B	C	B
B	A179	<i>Larus ridibundus</i>			c	10000	20000	i	P		B	B	C	B
B	A230	<i>Merops apiaster</i>			r	120	120	p	C		D			
B	A073	<i>Milvus migrans</i>			r	3	4	p	R		C	A	B	A
B	A023	<i>Nycticorax nycticorax</i>			r	470	520	p	R		B	B	C	B
B	A094	<i>Pandion haliaetus</i>			c	20	20	i	R		C	B	C	B
B	A020	<i>Pelecanus crispus</i>			c	20	50	i	P	DD	D			
B	A019	<i>Pelecanus onocrotalus</i>			c	50	150	i	R		C	B	B	B
B	A017	<i>Phalacrocorax carbo</i>			c	300	300	i	R		D			
B	A017	<i>Phalacrocorax carbo</i>			r	80	120	p	R		D			
B	A393	<i>Phalacrocorax pygmeus</i>			c	300	300	i	R		C	B	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			r	90	120	p	R		C	B	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			w	240	240	i	R		C	B	C	B
B	A234	<i>Picus canus</i>			r	30	30	p	R		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A034	<i>Platalea leucorodia</i>			r	144	160	p	R		B	B	C	B
B	A032	<i>Plegadis falcinellus</i>			c	230	400	i	R		B	B	C	B
B	A032	<i>Plegadis falcinellus</i>			r	120	130	p	R		B	B	C	B
B	A005	<i>Podiceps cristatus</i>			w	200	200	i	R		D			
B	A120	<i>Porzana parva</i>			r	12	12	p	R		C	B	C	B
B	A132	<i>Recurvirostra avosetta</i>			c	8	8	i	R		D			
B	A249	<i>Riparia riparia</i>			r	750	1100	p	C		C	A	C	B
B	A195	<i>Sterna albifrons</i>			c	400	400	i	R		B	B	C	B
B	A195	<i>Sterna albifrons</i>			r	25	30	p	R		B	B	C	B
B	A193	<i>Sterna hirundo</i>			c	1000	2000	i	R		C	B	C	B
B	A307	<i>Sylvia nisoria</i>			r				R		D			
B	A166	<i>Tringa glareola</i>			c	80	80	i	R		D			

Table 20 ROSPA0054 Lacul Dunăreni

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A298	<i>Acrocephalus arundinaceus</i>			r				C		D			
B	A293	<i>Acrocephalus melanopogon</i>			c				R		D			
B	A295	<i>Acrocephalus schoenobaenus</i>			r				C		D			
B	A297	<i>Acrocephalus scirpaceus</i>			r				C		D			
B	A229	<i>Alcedo atthis</i>			r	10	12	p	R		C	C	C	B
B	A054	<i>Anas acuta</i>			c	400	670	i	C		D			
B	A056	<i>Anas clypeata</i>			c	600	800	i	C		D			
B	A052	<i>Anas crecca</i>			c	1000	1400	i	C		C	B	C	B
B	A052	<i>Anas crecca</i>			w	1100	4000	i	C		C	B	C	B

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A050	<i>Anas penelope</i>			c	120	500	i	C		D			
B	A053	<i>Anas platyrhynchos</i>			c	4000	7000	i	C		D			
B	A053	<i>Anas platyrhynchos</i>			r	20	30	p	C		D			
B	A053	<i>Anas platyrhynchos</i>			w	500	800	i	C		D			
B	A055	<i>Anas querquedula</i>			c	1500	1800	i	C		C	B	C	B
B	A055	<i>Anas querquedula</i>			r	20		p	C		C	B	C	B
B	A051	<i>Anas strepera</i>			c	360	430	i	C		D			
B	A041	<i>Anser albifrons</i>			c	2500	3000	i	C		C	B	C	C
B	A041	<i>Anser albifrons</i>			w	500	1500	i	C		C	B	C	C
B	A043	<i>Anser anser</i>			c	200	600	i	C		D			
B	A043	<i>Anser anser</i>			r	10	20	p	C		D			
B	A029	<i>Ardea purpurea</i>			c	120	150	i	R		B	A	C	B
B	A029	<i>Ardea purpurea</i>			r	10	40	p	R		B	A	C	B
B	A024	<i>Ardeola ralloides</i>			c	234	340	i	C		C	B	C	B
B	A024	<i>Ardeola ralloides</i>			r	80	120	p	C		C	B	C	B
B	A221	<i>Asio otus</i>			r				R		D			
B	A059	<i>Aythya ferina</i>			c	600	800	i	C		C	B	C	B
B	A059	<i>Aythya ferina</i>			r	80		p	C		C	B	C	B
B	A061	<i>Aythya fuligula</i>			c				P		D			
B	A060	<i>Aythya nyroca</i>			c	550	700	i			C	A	C	B
B	A060	<i>Aythya nyroca</i>			r	54	75	p			C	A	C	B
B	A396	<i>Branta ruficollis</i>			c	400	500	i	C		B	B	C	B
B	A396	<i>Branta ruficollis</i>			w	200	300	i	C		B	B	C	B
B	A144	<i>Calidris alba</i>			c				R		D			
B	A149	<i>Calidris alpina</i>			c				C		D			
B	A147	<i>Calidris ferruginea</i>			c				C		D			
B	A145	<i>Calidris minuta</i>			c				C		D			
B	A146	<i>Calidris temminckii</i>			c				R		D			
B	A366	<i>Carduelis cannabina</i>			c				C		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A364	<i>Carduelis carduelis</i>			c				C		D			
B	A138	<i>Charadrius alexandrinus</i>			c	44	77	i	C		B	B	C	B
B	A138	<i>Charadrius alexandrinus</i>			r	12	14	p	C		B	B	C	B
B	A136	<i>Charadrius dubius</i>			c	100	200	i	C		D			
B	A196	<i>Chlidonias hybridus</i>			c	2000		i			B	B	C	B
B	A196	<i>Chlidonias hybridus</i>			r	300	400	p			B	B	C	B
B	A198	<i>Chlidonias leucopterus</i>			c				R		D			
B	A197	<i>Chlidonias niger</i>			c	200		i	C		C	B	C	B
B	A031	<i>Ciconia ciconia</i>			c	200	500	i	C		C	B	C	C
B	A031	<i>Ciconia ciconia</i>			r	8		p	C		C	B	C	C
B	A080	<i>Circaetus gallicus</i>			c				R		D			
B	A081	<i>Circus aeruginosus</i>			r	2	8	p	R		C	B	C	C
B	A212	<i>Cuculus canorus</i>			r				C		D			
B	A036	<i>Cygnus olor</i>			c	200		i	C		C	B	C	B
B	A036	<i>Cygnus olor</i>			r	6		p	C		C	B	C	B
B	A036	<i>Cygnus olor</i>			w	120		i	C		C	B	C	B
B	A253	<i>Delichon urbica</i>			c				C		D			
B	A027	<i>Egretta alba</i>			c	90	123	i	C		C	B	C	B
B	A027	<i>Egretta alba</i>			w	11		i	C		C	B	C	B
B	A026	<i>Egretta garzetta</i>			c	400	500	i	C		B	A	C	B
B	A026	<i>Egretta garzetta</i>			r	70	80	p	C		B	A	C	B
B	A269	<i>Erithacus rubecula</i>			c				C		D			
B	A359	<i>Fringilla coelebs</i>			c				C		D			
B	A153	<i>Gallinago gallinago</i>			c				C		D			
B	A135	<i>Glareola pratincola</i>			c	200	400	i	P		B	B	C	B
B	A135	<i>Glareola pratincola</i>			r	20	40	p	P		B	B	C	B
B	A075	<i>Haliaeetus albicilla</i>			c	4	6	i	P		C	A	B	B

Species					Population in the Site						Site assessment			
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A131	<i>Himantopus himantopus</i>			c	120	135	i	P		C	B	C	B
B	A131	<i>Himantopus himantopus</i>			r	16	20	p	P		C	B	C	B
B	A022	<i>Ixobrychus minutus</i>			r	40	60	p			C	A	C	B
B	A459	<i>Larus cachinnans</i>			c				C		D			
B	A182	<i>Larus canus</i>			c				C		D			
B	A183	<i>Larus fuscus</i>			c				R		D			
B	A176	<i>Larus melanocephalus</i>			c	400	600	i	R		C	B	C	B
B	A177	<i>Larus minutus</i>			c	400	800	i	R		C	B	C	B
B	A179	<i>Larus ridibundus</i>			c	12000	15000	i	R		C	B	C	B
B	A150	<i>Limicola falcinellus</i>			c				R		D			
B	A156	<i>Limosa limosa</i>			c				C		D			
B	A271	<i>Luscinia megarhynchos</i>			c				C		D			
B	A383	<i>Miliaria calandra</i>			c				C		D			
B	A262	<i>Motacilla alba</i>			r				C		D			
B	A260	<i>Motacilla flava</i>			c				C		D			
B	A260	<i>Motacilla flava</i>			r				C		D			
B	A319	<i>Muscicapa striata</i>			c				C		D			
B	A058	<i>Netta rufina</i>			c	40	70	i	C		D			
B	A160	<i>Numenius arquata</i>			c				C		D			
B	A023	<i>Nycticorax nycticorax</i>			c	120	400	i			D			
B	A337	<i>Oriolus oriolus</i>			c				C		D			
B	A094	<i>Pandion haliaetus</i>			c				R		D			
B	A020	<i>Pelecanus crispus</i>			c	41	50	i			B	A	C	B
B	A020	<i>Pelecanus crispus</i>			w	4		i			B	A	C	B
B	A019	<i>Pelecanus onocrotalus</i>			c	120	160	i	R		C	A	B	B
B	A017	<i>Phalacrocorax carbo</i>			c	200	500	i	C		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A393	<i>Phalacrocorax pygmeus</i>			c	500	600	i			C	A	C	B
B	A393	<i>Phalacrocorax pygmeus</i>			w	120	140	i			C	A	C	B
B	A170	<i>Phalaropus lobatus</i>			c				R		D			
B	A151	<i>Philomachus pugnax</i>			c	1200	1400	i	R		C	B	C	B
B	A273	<i>Phoenicurus ochruros</i>			c				C		D			
B	A034	<i>Platalea leucorodia</i>			c	310	360	i			C	A	C	B
B	A032	<i>Plegadis falcinellus</i>			c	270	340	i	R		C	A	C	B
B	A141	<i>Pluvialis squatarola</i>			c				C		D			
B	A005	<i>Podiceps cristatus</i>			r	40	50	p	C		D			
B	A006	<i>Podiceps grisegena</i>			r	2		p	P		D			
B	A008	<i>Podiceps nigricollis</i>			r	8	10	p	C		D			
B	A132	<i>Recurvirostra avosetta</i>			c	90	123	i	C		C	B	C	B
B	A132	<i>Recurvirostra avosetta</i>			r	15	18	p	C		C	B	C	B
B	A249	<i>Riparia riparia</i>			c				C		D			
B	A275	<i>Saxicola rubetra</i>			c				C		D			
B	A276	<i>Saxicola torquata</i>			c				C		D			
B	A195	<i>Sterna albifrons</i>			c	60	70	i	C		C	B	C	B
B	A193	<i>Sterna hirundo</i>			c	1000	1200	i	C		C	B	C	B
B	A351	<i>Sturnus vulgaris</i>			c				C		D			
B	A307	<i>Sylvia nisoria</i>			c				R		D			
B	A004	<i>Tachybaptus ruficollis</i>			r	30	40	p	C		D			
B	A397	<i>Tadorna ferruginea</i>			c	22	31	i			B	A	C	B
B	A397	<i>Tadorna ferruginea</i>			r	7	8	p			B	A	C	B
B	A161	<i>Tringa erythropus</i>			c				C		D			
B	A166	<i>Tringa glareola</i>			c				C		D			
B	A164	<i>Tringa nebularia</i>			c				C		D			
B	A165	<i>Tringa ochropus</i>			c				C		D			

Species					Population in the Site					Site assessment				
Group	Code	Scientific name	S	NP	Type	Size		Unit	Cat. CIRIVIP	Data quality	AIBICID	AIBIC		
						Min.	Max				Pop.	Con.	Iso.	Global
B	A163	<i>Tringa stagnatilis</i>			c				C		D			
B	A162	<i>Tringa totanus</i>			c				C		D			
B	A283	<i>Turdus merula</i>			c				C		D			
B	A285	<i>Turdus philomelos</i>			c				C		D			
B	A232	<i>Upupa epops</i>			c				C		D			
B	A142	<i>Vanellus vanellus</i>			c	2100	2500	i	C		D			
B	A142	<i>Vanellus vanellus</i>			r	40	50	p	C		D			